


## **AWC A-103 Reverse Osmosis Membrane Antiscalant – Silica Antifoulant**

### Advantages

- **AWC A-103** is a proprietary blend of antiscalants, antifoulants and silica dispersants.
- **AWC A-103** is especially designed for use where silica levels are high, up to 250% saturation of Silica in the reject.
- **AWC A-103** effectively disperses aluminum-silicate foulants such as Kaolinites.
- **AWC A-103** stabilizes metal ions and disperses metal oxides such as Iron and Manganese as well as colloidal particles such as silt and clay.
- **AWC A-103** controls calcium carbonate, calcium sulfate, calcium phosphate, calcium fluoride, barium sulfate and strontium sulfate scales in waters with a high fouling potential.
- **AWC A-103** has been approved by the National Sanitation Foundation (NSF) for the production of potable water in membrane separation processes.
- **AWC A-103** is environmentally compatible, especially where discharge of waste into the environment is a concern.



### Typical Properties

<b>Appearance</b> .....	Clear colorless to yellow liquid
<b>Odor</b> .....	Characteristic Odor
<b>Solubility in water</b> .....	Complete
<b>pH (as is) @ 25°C</b> .....	3 – 4
<b>Specific Gravity</b> .....	1.21 ± 0.03

### Safety and Handling

Store in a cool, dry place. In accordance with good safety practice, handle with care and avoid contact with eyes and prolonged or repeated contact with skin. For more information, see the Material Safety Data Sheet provided with this product.

### Chemical Feeding and Control

**AWC A-103** is normally fed continuously prior to the final cartridge filter. It should be injected by chemical dosing pump from a dilution tank or directly from the drum to the feedwater line. The amount of **AWC A-103** required to inhibit scale formation depends on the quality of feedwater and operational parameters of the membrane system. The appropriate dosage rate will be specified by the technical representative.

### Packaging

**AWC A-103** is packaged in 55 gallon, non-returnable plastic drums.

ISO 9001:2008 Certified Company

